

Dg. Co. Permit No. _____
Township Permit No. _____
Company W.O. No. _____

TO THE BOARD OF COUNTY COMMISSIONERS OF DOUGLAS COUNTY
STATE OF KANSAS

RE: Application of _____
Applicant
for authority to _____ in Douglas County.
Type of Construction

APPLICATION

_____ with offices at
Applicant
_____ hereby petitions the Board of County
Address

Commissioners of Douglas County, Kansas to construct _____
along and across the public roads and highways of Douglas County, Kansas, according to the
details and route shown on plans and standards for said construction, submitted herewith.

In support of its application the Applicant states that it is in the best interest of the
residents of Douglas County to allow construction of said facility and that the construction
thereof will promote the public safety, health, welfare and convenience. In addition, Applicant
agrees as follows, to-wit:

1. The County Engineer of Douglas County, Kansas and/or the Township Trustee shall have the authority to supervise any needed repairs resulting from such construction in the roadway for a period of one year from date of completed construction. This shall include the authority to supervise the initial and any subsequent backfills which may be required for said construction.
2. Installation shall conform to all applicable codes for this type of construction.
3. That said construction location, if on public right-of-way, shall be within the designated utility corridor and as near to right-of-way line as possible having a minimum clearance complying with attached standards. Any request for variance shall be an addendum to this application.
4. In the event of road improvement in the area within the right-of-way where Applicant has its facility and the facility interferes with said improvement, the Applicant or its assigns shall be responsible for movement of the facility at no expense to Douglas County or Governmental Unit in charge of road at that time.
5. Applicant shall be sufficiently insured, and shall assume all risk and liability for accidents and damages that may accrue to the persons or property on account of this work, and shall hold Douglas County and _____ Township, harmless for any damages claimed as result of defects in the construction or design of the facility.
6. Facility shall be installed in conformance with all items on attached standards.
7. Applicant shall furnish the County Engineer and/or Township Trustee with a complete set of plans showing the exact location of the entire facility within 90 days after construction is completed.
8. Traffic shall be free from interference and/or hazard when possible, and when not, applicant shall provide proper traffic protection in accordance with the Manual on Uniform Traffic Control Devices for Streets and Highway, as amended.
9. Applicant shall use all platted utility easements when available.
10. Applicant shall furnish notification to the County Engineer and/or Township Trustee no less than 24 hours prior to the beginning of construction.

- 11. Applicant shall furnish notification to the County Engineer and/or Township Trustee immediately upon completion of construction.
- 12. All areas disturbed by construction shall be seeded fertilized and mulched according to the recommendations of the County Engineer and/or Township Trustee.
- 13. A copy of the approved permit shall be available at the construction site during any work activity and said permit shall be made available for review by any Douglas County/Township employee.

Applicant further represents that it shall in all things comply with and abide by any rule, regulation or condition of permit made by the Board of County Commissioners, the County Engineer, and/or the Trustee of _____ Township.

RECOMMENDED FOR APPROVAL

Applicant

County Official

By: _____
Signature

Township Official

Printed Name

Title

Applicant Telephone Number

Proposed Date of Construction


Estimated Duration of Construction

Contractor Name

Contractor Telephone Number

STANDARDS FOR UNDERGROUND UTILITY CROSSING COUNTY ROAD

Underground utility must be cased in steel or PVC pipe from back of ditch to back of ditch. Underground utility crossing hard surface road must be bored or jacked. Minimum clearance from road surface shall be 4'0". Minimum clearance from bottom of ditch shall be 4'0". Placement of any facility that crosses a travelway shall be perpendicular to the travelway.




STANDARDS FOR OVERHEAD UTILITY CROSSING COUNTY ROAD

Utility poles, if located on road right-of-way, shall be located as close as practical to right-of-way line.


Guys shall be located to cause as little interference as possible with road maintenance operations, such as mowing, cleaning ditches, etc.

Minimum clearance from road surface shall be:

- 18'0", for line voltage up to 750 V.;
- 20'0", for line voltage of 750 V. to 15,000 V.;
- 22'0", for line voltage of 15,000 V. to 50,000 V.;
- 22'0" plus 0.4" per 1,000 V. for each 1,000 V. over 50,000 V.




STANDARDS FOR UNDERGROUND UTILITY PARALLEL TO COUNTY ROAD



LOCATION MAP

Section _____ Township _____ Range _____



SCALE: 1" = 1,000'

APPLICANT _____

COMPANY W.O. # _____

Please show section, township, range, road/route number, and approximate location of proposed installation.

Additional sheets may be used as needed.

Please attach Company work drawings.